

WEST Search History

DATE: Tuesday, June 04, 2002

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side		result set	
<i>DB=USPT; PLUR=YES; OP=AND</i>			
L6	L5 and l2	1	L6
L5	L4 and (obesity or steatorrhea or hypertriglyceride or fat)	198	L5
L4	((424/78.01)!.CCLS. (514/909)!.CCLS. (525/295)!.CCLS.)	427	L4
L3	diallylammonium.clm.	50	L3
L2	diallylammonium	242	L2
L1	diallylaminium	0	L1

END OF SEARCH HISTORY

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END) :end

=> screen 970 AND 1015

L1 SCREEN CREATED

=>

Uploading C:\STNEXP4\QUERIES\09721291.str

L2 STRUCTURE UPLOADED

=> que L2 AND L1

L3 QUE L2 AND L1

=> s l3 sss sam

SAMPLE SEARCH INITIATED 14:24:24 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 12 TO ITERATE

100.0% PROCESSED 12 ITERATIONS

2 ANSWERS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 33 TO 447

PROJECTED ANSWERS: 2 TO 124

L4 2 SEA SSS SAM L2 AND L1

=> s l3 sss full

FULL SEARCH INITIATED 14:24:55 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 192 TO ITERATE

100.0% PROCESSED 192 ITERATIONS

5 ANSWERS

SEARCH TIME: 00.00.01

L5 5 SEA SSS FUL L2 AND L1

=> d 1-5

L5 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 321904-08-9 REGISTRY

CN 2-Propen-1-aminium, N,N-bis(2,3-dihydroxypropyl)-N-2-propenyl-, chloride, homopolymer (9CI) (CA INDEX NAME)

MF (C12 H24 N O4 . Cl)x

CI PMS

PCT Polyvinyl


SR CA

LC STN Files: CA, CAPLUS

CM 1

CRN 321904-07-8


CMF C12 H24 N O4 . Cl



● Cl -

1 REFERENCES IN FILE CA (1967 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L5 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2002 ACS
 RN 321904-07-8 REGISTRY
 CN 2-Propen-1-aminium, N,N-bis(2,3-dihydroxypropyl)-N-2-propenyl-, chloride
 (9CI) (CA INDEX NAME)
 MF C12 H24 N O4 . Cl
 CI COM
 SR CA




● Cl -

L5 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2002 ACS
 RN 321904-06-7 REGISTRY
 CN 1-Propanaminium, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-, chloride,
 homopolymer (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN Poly[N,N-diallyl-N-methyl-N-(2,3-dihydroxypropyl)ammonium chloride]
 MF (C10 H20 N O2 . Cl)x
 CI PMS
 PCT Polyvinyl
 SR CA
 LC STN Files: CA, CAPLUS

CM 1

CRN 147867-86-5
 CMF C10 H20 N O2 . Cl



⊕ cl -

1 REFERENCES IN FILE CA (1967 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L5 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2002 ACS

RN 147867-87-6 REGISTRY

CN 1-Propanaminium, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-, chloride, polymer with (2Z)-2-butenedioic acid, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid, methyl 2-propenoate, 2-propenamide, 2-propenoic acid and N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1-Propanaminium, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-, chloride, polymer with (Z)-2-butenedioic acid, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid, methyl 2-propenoate, 2-propenamide, 2-propenoic acid and N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride

CN 1-Propanaminium, N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-, chloride, polymer with (2Z)-2-butenedioic acid,

2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid, methyl 2-propenoate, 2-propenamide and 2-propenoic acid (9CI)

CN 1-Propanaminium, N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-, chloride, polymer with (Z)-2-butenedioic acid,

2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid, methyl 2-propenoate, 2-propenamide and 2-propenoic acid

CN 1-Propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propenyl)amino]-, polymer with (2Z)-2-butenedioic acid, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, methyl 2-propenoate, 2-propenamide, 2-propenoic acid and

N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride (9CI)


CN 1-Propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propenyl)amino]-, polymer with (Z)-2-butenedioic acid, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride, 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-propenoate, methyl 2-propenoate, 2-propenamide, 2-propenoic acid and

N,N,N-trimethyl-3-[(2-methyl-1-oxo-2-propenyl)amino]-1-propanaminium chloride

propenyl)amino]-1-propanaminium chloride
 CN 2-Propenoic acid, polymer with (2Z)-2-butenedioic acid,
 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride,
 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-
 propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid,
 methyl 2-propenoate, 2-propenamide and
 N,N,N-trimethyl-3-[(2-methyl-1-oxo-
 2-propenyl)amino]-1-propanaminium chloride (9CI)
 CN 2-Propenoic acid, polymer with (Z)-2-butenedioic acid,
 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-1-propanaminium chloride,
 1,1-dimethylethyl 2-methyl-2-propenoate, 2-ethylhexyl 2-methyl-2-
 propenoate, 2-methyl-2-[(1-oxo-2-propenyl)amino]-1-propanesulfonic acid,
 methyl 2-propenoate, 2-propenamide and
 N,N,N-trimethyl-3-[(2-methyl-1-oxo-
 2-propenyl)amino]-1-propanaminium chloride
 FS STEREOSEARCH
 MF (C12 H22 O2 . C10 H21 N2 O . C10 H20 N O2 . C8 H14 O2 . C7 H13 N O4 S .
 C4 H6 O2 . C4 H4 O4 . C3 H5 N O . C3 H4 O2 . 2 Cl)x
 CI PMS
 PCT Polyacrylic, Polyester, Polyester formed, Polyvinyl
 SR CA
 LC STN Files: CA, CAPLUS

CM 1


CRN 147867-86-5
 CMF C10 H20 N O2 . Cl



● Cl⁻

CM 2


CRN 51410-72-1 (51441-64-6)
 CMF C10 H21 N2 O . Cl



● Cl⁻


CM 3

CRN 15214-89-8
CMF C7 H13 N 04 S




CM 4

CRN 688-84-6
CMF C12 H22 02



CM 5


CRN 585-07-9
CMF C8 H14 02



CM 6

CRN 110-16-7
CMF C4 H4 O4


Double bond geometry as shown.



CM 7


CRN 96-33-3

CMF C4 H6 O2




CM 8

CRN 79-10-7
CMF C3 H4 O2




CM 9

CRN 79-06-1
CMF C3 H5 N O



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

L5 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2002 ACS
RN 147867-86-5 REGISTRY
CN 1-Propanaminium, 2,3-dihydroxy-N-methyl-N,N-di-2-propenyl-, chloride
(9CI)
(CA INDEX NAME)
MF C10 H20 N O2 . Cl
CI COM
SR CA



● Cl -

=> file caplus medline
COST IN U.S. DOLLARS
FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
150.08	150.29

FILE 'CPLUS' ENTERED AT 14:27:09 ON 04 JUN 2002
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2002 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 14:27:09 ON 04 JUN 2002

=> s 15
L6 2 L5

=> d ibib abs 1-2

L6 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2002 ACS
ACCESSION NUMBER: 2001:63835 CAPLUS
DOCUMENT NUMBER: 134:131954
TITLE: Fat-binding polymers for use with lipase inhibitors
INVENTOR(S): Jozefiak, Thomas Henry; Mandeville, W. Harry, III;
Holmes-Farley, Stephen Randall; Huval, Chad Cori;
Garigapati, Venkata R.; Shackett, Keith K.; Concagh,
Danny
PATENT ASSIGNEE(S): Geltex Pharmaceuticals, Inc., USA
SOURCE: PCT Int. Appl., 104 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001005408	A1	20010125	WO 1999-US15958	19990714
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9949957	A1	20010205	AU 1999-49957	19990714
EP 1196181	A1	20020417	EP 1999-934037	19990714
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				

PRIORITY APPLN. INFO.: WO 1999-US15958 A 19990714
AB Polymers having ether and(or) N-contg. side chains are manufd. for use in
binding fat for treatment of obesity. A typical polymer was manufd. by
radical polymn. of N-decylacrylamide 2.83,
3-acrylamidopropyltrimethylammo
nium chloride 18.45, and acrylamide 13.33 g.
REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR
THIS
FORMAT

RECORD. ALL CITATIONS AVAILABLE IN THE RE

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 1993:256861 CAPLUS
 DOCUMENT NUMBER: 118:256861
 TITLE: Rosin emulsion sizes and dispersing agents for improving their stability and endurance to water hardness and acidity stress
 INVENTOR(S): Niike, Hitoshi; Sakuraba, Noriko
 PATENT ASSIGNEE(S): Daiichi Kogyo Seiyaku Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04333694	A2	19921120	JP 1991-128646	19910430

AB The title agents are copolymers and/or their salts prep'd. from (meth)acrylate esters and/or styrene compds., and comonomers bearing amino and/or ammonium groups in the presence of 2,4-diphenyl-4-methyl-1-pentene (I) chain-transfer agents. Thus, 2,2'-azobis(2,4-dimethylvaleronitrile)-initiated polymn. of Et acrylate, Me methacrylate, sec-Bu acrylate, [(methacryloyloxy)ethyl]trimethylammonium chloride, and [(methacryloyloxy)-2-hydroxypropyl]trimethylammonium chloride in the presence of I gave a copolymer with mol. wt. 25,000, which was used to disperse a fumaric acid-fortified rosin into a stable emulsion.

=> d iall 2

L6 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2002 ACS
 ACCESSION NUMBER: 1993:256861 CAPLUS
 DOCUMENT NUMBER: 118:256861
 TITLE: Rosin emulsion sizes and dispersing agents for improving their stability and endurance to water hardness and acidity stress
 INVENTOR(S): Niike, Hitoshi; Sakuraba, Noriko
 PATENT ASSIGNEE(S): Daiichi Kogyo Seiyaku Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 INT. PATENT CLASSIF.:
 MAIN: D21H017-34
 SECONDARY: B01F017-52; C08L025-08; C08L033-04; D21H017-62;
 D21H017-37
 CLASSIFICATION: 43-7 (Cellulose, Lignin, Paper, and Other Wood Products)
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04333694	A2	19921120	JP 1991-128646	19910430

ABSTRACT:
 The title agents are copolymers and/or their salts prep'd. from (meth)acrylate esters and/or styrene compds., and comonomers bearing amino and/or ammonium groups in the presence of 2,4-diphenyl-4-methyl-1-pentene (I) chain-transfer

agents. Thus, 2,2'-azobis(2,4-dimethylvaleronitrile)-initiated polymn. of Et acrylate, Me methacrylate, sec-Bu acrylate, [(methacryloyloxy)ethyl]trimethylammonium chloride, and [(methacryloyloxy)-2-hydroxypropyl]trimethylammonium chloride in the presence of I gave a copolymer with mol. wt. 25,000, which was used to disperse a fumaric acid-fortified rosin into a stable emulsion.

SUPPL. TERM: rosin emulsion size dispersing agent; acrylic polymer dispersing agent size; styrene copolymer dispersant rosin size; quaternary ammonium compd polymer dispersant
 INDEX TERM: Chain-transfer agents
 (contg. diphenylmethylpentene, for manuf. of acrylic polymers bearing ammonium groups for dispersants for rosin sizes)
 INDEX TERM: Dispersing agents
 (for rosin emulsion sizes, acrylic polymers bearing ammonium groups as, prepn. of, chain-transfer agents used
 in)
 INDEX TERM: Sizing
 (of paper, with rosin emulsions, cationic acrylic polymer
 dispersing agents for)
 INDEX TERM: Paper
 (rosin emulsion size for, dispersants for, diphenylmethylpentene as chain-transfer agents in)
 INDEX TERM: Quaternary ammonium compounds, polymers
 ROLE: IMF (Industrial manufacture); PREP (Preparation)
 (polymers, acrylic, as dispersants for rosin sizes, chain-transfer agents for prepn. of)
 INDEX TERM: 6362-80-7, 2,4-Diphenyl-4-methyl-1-pentene
 ROLE: USES (Uses)
 (chain-transfer agents, for manuf. of acrylic polymers bearing ammonium groups for dispersants for rosin sizes)
 INDEX TERM: 147814-47-9P 147867-82-1P 147867-83-2P 147867-85-4P
147867-87-6P 147897-03-8P
 ROLE: IMF (Industrial manufacture); PREP (Preparation)
 (dispersants for rosin sizes, chain-transfer agents for prepn. of)

=> log y			
COST IN U.S. DOLLARS	SINCE FILE	TOTAL	
	ENTRY	SESSION	
FULL ESTIMATED COST	12.35	162.64	
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL	
	ENTRY	SESSION	
CA SUBSCRIBER PRICE	-1.86	-1.86	

STN INTERNATIONAL LOGOFF AT 14:35:06 ON 04 JUN 2002